

Pipeline Settings Manager Documentation

Border Cells, Rev Blocks

Border G Size (BORDRG)

setCommand	PLACE CELL ABSOLUTE
setCellName	BORDRG
setSharedCell	disabled
setCellType	placement
setLibWorkUnits	Plan and Profile Units

Border G Profile 20 or 40 Scale

setCommand	place cell absolute
setCellName	BORD40
setSharedCell	disabled
setCellType	placement
setLibWorkUnits	Plan and Profile Units

Border G Profile for 50 Scale

setCommand	place cell absolute
setCellName	BORD50
setSharedCell	disabled
setCellType	placement
setLibWorkUnits	Plan and Profile Units

Border B Size (BORDRB)

setCommand	place cell absolute
setCellName	BORDRB
setSharedCell	disabled
setCellType	placement
setLibWorkUnits	Plan and Profile Units

Border B Size w/Profile(BORDBP)

setCommand	PLACE CELL ABSOLUTE
setCellName	BORDBP
setSharedCell	disabled
setCellType	placement
setLibWorkUnits	Plan and Profile Units

Border B Size for TBA (BORDRK)

setCommand	place cell absolute
setCellName	BORDRK
setSharedCell	disabled
setCellType	placement
setLibWorkUnits	Plan and Profile Units

Border Cell for WSE (BORDWE)

setCommand	PLACE CELL ABSOLUTE
setCellName	BORDWE
setSharedCell	disabled

Pipeline Settings Manager Documentation

setCellType placement
setLibWorkUnits Plan and Profile Units

User File PLOT Info (BORDUP)

setCommand PLACE CELL ABSOLUTE
setCellName BORDUP
setSharedCell disabled
setCellType placement
setApplyDrawingScale on
setLibWorkUnits Plan and Profile Units

File info doc. (DOCREF)

setCommand place cell absolute
setCellName DOCREF
setSharedCell disabled
setCellType placement
setLibWorkUnits

EBMUD Logo (LOGO)

setCommand place cell absolute
setCellName LOGO
setSharedCell disabled
setCellType placement
setLibWorkUnits

B size Revision Block (REVISB)

setCommand **place cell absolute**
setCellName REVISB
setSharedCell disabled
setCellType placement
setLibWorkUnits

PLOTB (B SIZE PLOT SHAPE)

setCommand AC=PLOTB
setLibWorkUnits

PLOTG (G SIZE PLOT SHAPE)

setCommand AC=PLOTG
setLibWorkUnits

Pipeline Settings Manager Documentation

Contours-Profile

Text1 Leader Line

setCommand	place curve
setLevel	1100
setLevelName	C-TOPO-MAJR
setColor	4
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Text2 Leader Line (Prop)

setCommand	place curve
setLevel	361
setLevelName	W-PRO-TOPO-MAJR
setColor	1
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Ground Profile Line (Exist)

setCommand	place smartline
setLevel	1072
setLevelName	C-GRAD-EXST
setColor	11
setStyle	3
setWeight	1

Ground Profile Line (Prop)

setCommand	place smartline
setLevel	1073
setLevelName	C-GRAD-FNSH
setColor	7
setStyle	0
setWeight	1

Pipeline Profile Line (Exist)

setCommand	place smartline
setLevel	1402
setLevelName	C-DIST-MAIN-SNGL
setColor	1
setStyle	0
setWeight	1

Pipeline Settings Manager Documentation

Pipeline Profile Line (Prop)

setCommand	place smartline
setLevel	310
setLevelName	W-DIST-MAIN-SNGL
setColor	170
setStyle	0
setWeight	2

Sewer Profile Line (Exist)

setCommand	place smartline
setLevel	1633
setLevelName	C-SSWR-MAIN
setColor	6
setStyle	3
setWeight	1

Sewer Profile Line (Prop)

setCommand	place smartline
setLevel	383
setLevelName	W-PRO-SSWR-MAIN
setColor	16
setStyle	3
setWeight	1

Contours (Exist) - Index

setCommand	place smartline
setLevel	1100
setLevelName	C-TOPO-MAJR
setColor	182
setStyle	0
setWeight	1

Contours (Exist) - Intermed

setCommand	place smartline
setLevel	1102
setLevelName	C-TOPO-MINR
setColor	182
setStyle	0
setWeight	0

Contours (Prop) - Index

setCommand	place smartline
setLevel	361
setLevelName	W-PRO-TOPO-MAJR
setColor	7
setStyle	0
setWeight	1

Pipeline Settings Manager Documentation

Contours (Prop) - Intermed

setCommand	place smartline
setLevel	362
setLevelName	W-PRO-TOPO-MINR
setColor	7
setStyle	0
setWeight	0

Text3 Leader Line (Prop Big)

setCommand	place curve
setLevel	361
setLevelName	W-PRO-TOPO-MAJR
setColor	1
setStyle	Arrow-Big
setStyleScale	1.000000
setWeight	0

Text1-Prf/Exist Contour (Small)

setCommand	place dialogtext
setLevel	1100
setLevelName	C-TOPO-MAJR
setColor	4
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Text2-Prf Water/Contour (Prop)

setCommand	place dialogtext
setLevel	361
setLevelName	W-PRO-TOPO-MAJR
setColor	1
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.120000
setTextWidth	0.085000
setLineSpacing	0.075000

Pipeline Settings Manager Documentation

Text3-Prf Main Pipe Big (Prop)

setCommand	place dialogtext
setLevel	361
setLevelName	W-PRO-TOPO-MAJR
setColor	1
setStyle	0
setWeight	4
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.200000
setTextWidth	0.170000
setLineSpacing	0.150000

Control/Survey

County Line

setCommand	place smartline
setLevel	1064
setLevelName	C-PROP-CCTY
setColor	14
setStyle	County Line
setStyleScale	1.000000
setWeight	3

Tract-Subd Line

setCommand	place smartline
setLevel	1058
setLevelName	C-PROP-TRCT
setColor	14
setStyle	Tract Line
setStyleScale	1.000000
setWeight	2

City Limit Line

setCommand	place smartline
setLevel	1064
setLevelName	C-PROP-CCTY
setColor	14
setStyle	City Line
setStyleScale	1.000000
setWeight	3

Pipeline Settings Manager Documentation

R/W EBMUD

setCommand	place smartline
setLevel	1055
setLevelName	C-PROP-RWAY
setColor	2
setStyle	R/W - EBMUD
setStyleScale	1.000000
setWeight	4

Easement Line

setCommand	place smartline
setLevel	1059
setLevelName	C-PROP-ESMT
setColor	2
setStyle	Easement Line
setStyleScale	1.000000
setWeight	1

Lot Line

setCommand	place smartline
setLevel	1059
setLevelName	C-PROP-ESMT
setColor	2
setStyle	0
setWeight	1

Station EC/BC Line

setCommand	place line
setLevel	1045
setLevelName	C-ALGN-STAT-IDEN
setColor	3
setStyle	0
setWeight	0

R/W STREET

setCommand	place smartline
setLevel	1055
setLevelName	C-PROP-RWAY
setColor	2
setStyle	0
setStyleScale	1.000000
setWeight	4

Pipeline Settings Manager Documentation

Station Leader Line

setCommand	place lstring
setLevel	1045
setLevelName	C-ALGN-STAT-IDEN
setColor	3
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

City,Cty,Tr,Sub Leader Line

setCommand	place curve
setLevel	1051
setLevelName	C-PROP-IDEN
setColor	14
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Easement/Lot Leader Line

setCommand	place curve
setLevel	1059
setLevelName	C-PROP-ESMT
setColor	2
setStyle	Arrow-Small
setWeight	0

Monument Leader Line

setCommand	place curve
setLevel	1011
setLevelName	C-CTRL-IDEN
setColor	5
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Ultimate Service Boundary

setCommand	place smartline
setLevel	1057
setLevelName	C-PROP-DIST
setColor	13
setStyle	Hatch Line
setStyleScale	1.000000
setWeight	1

Pipeline Settings Manager Documentation

Station Line

setCommand	place smartline
setLevel	1044
setLevelName	C-ALGN-STAT
setColor	3
setStyle	0
setWeight	0

City,Cty,Tract,Subd Text

setCommand	place dialogtext
setLevel	1051
setLevelName	C-PROP-IDEN
setColor	14
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	,
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Station Line Text

setCommand	place dialogtext
setLevel	1045
setLevelName	C-ALGN-STAT-IDEN
setColor	3
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	,
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Easement/Lot Line Text

setCommand	place dialogtext
setLevel	1051
setLevelName	C-PROP-IDEN
setColor	2
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	,
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Pipeline Settings Manager Documentation

Monument Text

setCommand	place dialogtext
setLevel	1011
setLevelName	C-CTRL-IDEN
setColor	5
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	,
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

STREET Name Text

setCommand	place dialogtext
setLevel	1051
setLevelName	C-PROP-IDEN
setColor	2
setStyle	0
setWeight	4
setFont	font003
setUsePaperSize	on
setUnits	,
setTextHeight	0.200000
setTextWidth	0.170000
setLineSpacing	0.150000

Lot Number Text

setCommand	place dialogtext
setLevel	1051
setLevelName	C-PROP-IDEN
setColor	4
setStyle	0
setWeight	0
setFont	font042
setUsePaperSize	on
setUnits	,
setTextHeight	0.200000
setTextWidth	0.170000
setLineSpacing	0.150000

Pipeline Settings Manager Documentation

General

Non-Plot-02 (for PLE)

setCommand	place smartline
setLevel	141
setLevelName	G-NPLT-02

Non-Plot-04 (for PLD)

setCommand	place smartline
setLevel	143
setLevelName	G-NPLT-04

Non-Plot-03 (for PLE)

setCommand	place smartline
setLevel	142
setLevelName	G-NPLT-03

Match Lines

setCommand	place smartline
setLevel	113
setLevelName	G-ANNO-SYMB
setColor	4
setStyle	0
setWeight	1

Non-Plot-04 Clip Bound Shape

setCommand	Place shape
setLevel	143
setLevelName	G-NPLT-04
setColor	3
setStyle	0
setWeight	4

Dimension Line

setCommand	place smartline
setLevel	105
setLevelName	G-ANNO-TEXT
setColor	4
setStyle	0
setWeight	0

Pipeline Settings Manager Documentation

Center Line

setCommand	place smartline
setLevel	113
setLevelName	G-ANNO-SYMB
setColor	22
setStyle	CenterLine
setStyleScale	1.000000
setWeight	0

Vicinity Line

setCommand	place smartline
setLevel	114
setLevelName	G-ANNO-PLAN
setColor	3
setStyle	0
setWeight	1

B Map Line

setCommand	place smartline
setLevel	1441
setLevelName	C-DIST-MISC
setColor	182
setStyle	0
setWeight	1

General Notes

setCommand	place dialogtext
setLevel	105
setLevelName	G-ANNO-TEXT
setColor	4
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	,
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Pipeline Settings Manager Documentation

Dimension Text

setCommand	place dialogtext
setLevel	105
setLevelName	G-ANNO-TEXT
setColor	4
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Match Line Text

setCommand	place dialogtext
setLevel	105
setLevelName	G-ANNO-TEXT
setColor	4
setStyle	0
setWeight	2
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.120000
setTextWidth	0.102000
setLineSpacing	0.090000

Vicinity Text-Street

setCommand	place dialogtext
setLevel	105
setLevelName	G-ANNO-TEXT
setColor	4
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Pipeline Settings Manager Documentation

B Map Text

setCommand	place dialogtext
setLevel	1442
setLevelName	C-DIST-MISC-IDEN
setColor	12
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Vicinity Text-City/Site

setCommand	place dialogtext
setLevel	105
setLevelName	G-ANNO-TEXT
setColor	4
setStyle	0
setWeight	3
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.200000
setTextWidth	0.170000
setLineSpacing	0.150000

Pipeline Settings Manager Documentation

Pattern Library

Concrete Pattern

setCommand	place shape constrained
setLevel	117
setLevelName	G-ANNO-PATT-IPLT
setColor	230
setStyle	2
setWeight	1

Cross Hatch

setCommand	place shape constrained
setLevel	117
setLevelName	G-ANNO-PATT-IPLT
setColor	227
setStyle	2
setWeight	1

Rock Pattern

setCommand	place shape constrained
setLevel	117
setLevelName	G-ANNO-PATT-IPLT
setColor	231
setStyle	2
setWeight	1

Steel Pattern

setCommand	place shape constrained
setLevel	117
setLevelName	G-ANNO-PATT-IPLT
setColor	232
setStyle	2
setWeight	1

Pipe Profile Dots

setCommand	place shape constrained
setLevel	117
setLevelName	G-ANNO-PATT-IPLT
setColor	233
setStyle	2
setWeight	1

Pipeline Settings Manager Documentation

Mortar Pattern

setCommand	place shape constrained
setLevel	117
setLevelName	G-ANNO-PATT-IPLT
setColor	234
setStyle	2
setWeight	1

Solid Black Fill

setCommand	place shape constrained
setLevel	117
setLevelName	G-ANNO-PATT-IPLT
setColor	226
setStyle	2
setWeight	1

Decorative Paving

setCommand	place shape constrained
setLevel	117
setLevelName	G-ANNO-PATT-IPLT
setColor	229
setStyle	2
setWeight	1

Pipeline Settings Manager Documentation

Pipeline Existing

Main Pipe Line

setCommand	place smartline
setLevel	1402
setLevelName	C-DIST-MAIN-SNGL
setColor	1
setStyle	0
setWeight	2

Pipe Appurtenance Line

setCommand	place smartline
setLevel	1405
setLevelName	C-DIST-MAIN-FTTG
setColor	1
setStyle	0
setWeight	1

Leader Line

setCommand	place curve
setLevel	1407
setLevelName	C-DIST-MAIN-IDEN
setColor	1
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

RFS Pipe Line

setCommand	place smartline
setLevel	1421
setLevelName	C-DIST-RFS
setColor	1
setStyle	3
setWeight	2

RFS Blowoff Circle

setCommand	place circle cent cons
setLevel	1421
setLevelName	C-DIST-RFS
setColor	23
setStyle	3
setWeight	3

Pipeline Settings Manager Documentation

Text

setCommand	place dialogtext
setLevel	1407
setLevelName	C-DIST-MAIN-IDEN
setColor	1
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Pressure Zone

setCommand	place dialogtext
setLevel	1401
setLevelName	C-DIST-PRZN
setColor	8
setStyle	0
setWeight	2
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.120000
setTextWidth	0.102000
setLineSpacing	0.090000

RFS List

setCommand	place dialogtext
setLevel	1422
setLevelName	C-DIST-RFS-IDEN
setColor	1
setStyle	0
setWeight	2
setFont	font003
setUsePaperSize	on
setUnits	
setTextHeight	0.120000
setTextWidth	0.102000
setLineSpacing	0.090000

Pipeline Settings Manager Documentation

Main Pipe Double (24'')

setCommand	place mline constrained
setLevel	1403
setLevelName	C-DIST-MAIN-DBLL
setColor	1
setStyle	0
setWeight	1
setMlineName	MPE
setUorsPerMu	0
setMuName	ft

Pipe Casing (20 Scale)

setCommand	place mline constrained
setLevel	1404
setLevelName	C-DIST-MAIN-CASE
setColor	1
setStyle	2
setWeight	1
setMlineName	PCE20
setUorsPerMu	0
setMuName	ft

Pipe Casing (40 Scale)

setCommand	place mline constrained
setLevel	1404
setLevelName	C-DIST-MAIN-CASE
setColor	1
setStyle	2
setWeight	1
setMlineName	PCE40
setUorsPerMu	0
setMuName	ft

Dimension Line

setCommand	place smartline
setLevel	1407
setLevelName	C-DIST-MAIN-IDEN
setColor	1
setStyle	0
setWeight	0
setDimensionName	

Pipeline Settings Manager Documentation

Pipeline Proposed

Main Pipe Line

setCommand	place smartline
setLevel	310
setLevelName	W-DIST-MAIN-SNGL
setColor	170
setStyle	0
setWeight	7

Pipe Appurtenances Line

setCommand	place smartline
setLevel	313
setLevelName	W-DIST-MAIN-FTTG
setColor	1
setStyle	0
setWeight	2

Leader line

setCommand	place curve
setLevel	315
setLevelName	W-DIST-MAIN-IDEN
setColor	1
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Dimension Text- Pipe

setCommand	place dialogtext
setLevel	315
setLevelName	W-DIST-MAIN-IDEN
setColor	1
setStyle	0
setWeight	3
setFont	font003
setUsePaperSize	on
setUnits	,
setTextHeight	0.150000
setTextWidth	0.127000
setLineSpacing	0.112500

Pipeline Settings Manager Documentation

Station Notes and Text

setCommand	place dialogtext
setLevel	303
setLevelName	W-ALGN-IDEN
setColor	4
setStyle	0
setWeight	1
setFont	font003
setTextAngle	90.000000
setTextJust	LB
setNodeJust	LB
setUsePaperSize	on
setUnits	'
setTextHeight	0.120000
setTextWidth	0.102000
setLineSpacing	0.120000

Main Pipe Text BIG

setCommand	place dialogtext
setLevel	315
setLevelName	W-DIST-MAIN-IDEN
setColor	1
setStyle	0
setWeight	4
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.200000
setTextWidth	0.170000
setLineSpacing	0.150000

Pipe Appurtenances Text

setCommand	place dialogtext
setLevel	315
setLevelName	W-DIST-MAIN-IDEN
setColor	1
setStyle	0
setWeight	2
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.120000
setTextWidth	0.102000
setLineSpacing	0.090000

Pipeline Settings Manager Documentation

Sub-Pipe Text

setCommand	active txj rt;place dialogtext below
setLevel	315
setLevelName	W-DIST-MAIN-IDEN
setColor	4
setStyle	0
setWeight	3
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.150000
setTextWidth	0.127000
setLineSpacing	0.112500

Main Pipe Text Small

setCommand	place dialogtext
setLevel	315
setLevelName	W-DIST-MAIN-IDEN
setColor	1
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Main Pipe Double (24")

setCommand	place mline constrained
setLevel	311
setLevelName	W-DIST-MAIN-DBLL
setColor	170
setStyle	0
setWeight	2
setMlineName	MPP
setUorsPerMu	0
setMuName	ft

Pipe Casing (20 Scale)

setCommand	place mline constrained
setLevel	312
setLevelName	W-DIST-MAIN-CASE
setColor	170
setStyle	2
setWeight	2
setMlineName	PCP20
setUorsPerMu	0
setMuName	ft

Pipeline Settings Manager Documentation

Pipe Casing (40 Scale)

setCommand	place mline constrained
setLevel	312
setLevelName	W-DIST-MAIN-CASE
setColor	170
setStyle	2
setWeight	2
setMlineName	PCP40
setUorsPerMu	0
setMuName	ft

Dimension Lines

setCommand	place smartline
setLevel	315
setLevelName	W-DIST-MAIN-IDEN
setColor	1
setStyle	0
setWeight	0
setDimensionName	

Pipeline Settings Manager Documentation

Roadways, EP-Existing

Edge of Pavement Pattern

setCommand	place smartline
setLevel	1202
setLevelName	C-ROAD-EDGE
setColor	2
setStyle	EP Line
setStyleScale	1.000000
setWeight	1

F/C, Driveway, Sidewalk

setCommand	place smartline
setLevel	1202
setLevelName	C-ROAD-EDGE
setColor	7
setStyle	0
setWeight	1

Leader Line

setCommand	place curve
setLevel	1201
setLevelName	C-ROAD-IDEN
setColor	31
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Edge of Pavement Line

setCommand	place smartline
setLevel	1202
setLevelName	C-ROAD-EDGE
setColor	2
setStyle	0
setWeight	0

AC Berm Line

setCommand	place smartline
setLevel	1202
setLevelName	C-ROAD-EDGE
setColor	182
setStyle	0
setWeight	4

Pipeline Settings Manager Documentation

Text

setCommand	place dialogtext
setLevel	1201
setLevelName	C-ROAD-IDEN
setColor	31
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Roadways, EP-Proposed

Edge of Pavement Pattern

setCommand	place smartline
setLevel	371
setLevelName	W-PRO-ROAD-EDGE
setColor	12
setStyle	EP Line
setStyleScale	1.000000
setWeight	1

F/C, Driveway, Sidewalk

setCommand	place smartline
setLevel	371
setLevelName	W-PRO-ROAD-EDGE
setColor	17
setStyle	0
setWeight	1

Leader Line

setCommand	place curve
setLevel	372
setLevelName	W-PRO-ROAD-IDEN
setColor	2
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Pipeline Settings Manager Documentation

Edge of Pavement Line

setCommand	place smartline
setLevel	371
setLevelName	W-PRO-ROAD-EDGE
setColor	12
setStyle	0
setWeight	0

AC Berm Line

setCommand	place smartline
setLevel	371
setLevelName	W-PRO-ROAD-EDGE
setColor	182
setStyle	0
setWeight	4

Text

setCommand	place dialogtext
setLevel	372
setLevelName	W-PRO-ROAD-IDEN
setColor	2
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Pipeline Settings Manager Documentation

Site Topo - Existing

Fence lines

setCommand	place smartline
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	3
setStyle	Fence Line
setStyleScale	1.000000
setWeight	1

Ditch Flow line

setCommand	place smartline
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	1
setStyle	Ditch Line
setStyleScale	1.000000
setWeight	0

Structures (misc bldgs, vaults)

setCommand	place smartline
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	7
setStyle	0
setWeight	0

Rail Road Tracks

setCommand	place smartline
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	1
setStyle	RailRoad
setStyleScale	1.000000
setWeight	0

Concrete Pads

setCommand	place smartline
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	7
setStyle	0
setWeight	1

Pipeline Settings Manager Documentation

Retaining Walls

setCommand	place smartline
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	3
setStyle	Retaining Wall
setStyleScale	1.000000
setWeight	1

Guard Rail

setCommand	place smartline
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	3
setStyle	Guard Rail
setStyleScale	1.000000
setWeight	1

Topo Leader Line

setCommand	place curve
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	19
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Earthquake Fault Line

setCommand	place smartline
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	23
setStyle	3
setWeight	3

Topo Text

setCommand	place dialogtext
setLevel	1120
setLevelName	C-TOPO-OTHR-ALT1
setColor	19
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	"
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Pipeline Settings Manager Documentation

Site Topo - Proposed

Fence lines

setCommand	place smartline
setLevel	363
setLevelName	W-PRO-TOPO-OTHR-ALT1
setColor	13
setStyle	Fence Line
setStyleScale	1.000000
setWeight	1

Ditch Flow line

setCommand	place smartline
setLevel	363
setLevelName	W-PRO-TOPO-OTHR-ALT1
setColor	11
setStyle	Ditch Line
setStyleScale	1.000000
setWeight	0

Structures (misc bldgs, vaults)

setCommand	place smartline
setLevel	363
setLevelName	W-PRO-TOPO-OTHR-ALT1
setColor	17
setStyle	0
setWeight	0

Concrete Pads

setCommand	place smartline
setLevel	363
setLevelName	W-PRO-TOPO-OTHR-ALT1
setColor	17
setStyle	0
setWeight	1

Retaining Walls

setCommand	place smartline
setLevel	363
setLevelName	W-PRO-TOPO-OTHR-ALT1
setColor	13
setStyle	Retaining Wall
setStyleScale	1.000000
setWeight	1

Pipeline Settings Manager Documentation

Guard Rail

setCommand	place smartline
setLevel	363
setLevelName	W-PRO-TOPO-OTHR-ALT1
setColor	13
setStyle	Guard Rail
setStyleScale	1.000000
setWeight	1

Topo Leader Line

setCommand	place curve
setLevel	363
setLevelName	W-PRO-TOPO-OTHR-ALT1
setColor	4
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Topo Text

setCommand	place dialogtext
setLevel	363
setLevelName	W-PRO-TOPO-OTHR-ALT1
setColor	4
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	"
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Trees

Tree Line Pattern

setCommand	place curve
setLevel	1241
setLevelName	C-SITE-VEGE
setColor	2
setStyle	Tree Line
setStyleScale	1.000000
setWeight	0

Pipeline Settings Manager Documentation

Trees Leader Line

setCommand	place curve
setLevel	1241
setLevelName	C-SITE-VEGE
setColor	19
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Trees Text

setCommand	place dialogtext
setLevel	1241
setLevelName	C-SITE-VEGE
setColor	2
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	"
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Util-Exist-SD,SS

Storm Leader Line

setCommand	place curve
setLevel	1641
setLevelName	C-STRM-IDEN
setColor	27
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Sewer Leader Line

setCommand	place curve
setLevel	1631
setLevelName	C-SSWR-IDEN
setColor	26
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Pipeline Settings Manager Documentation

Sewer Line

setCommand	place smartline
setLevel	1633
setLevelName	C-SSWR-MAIN
setColor	6
setStyle	Sewer Line
setStyleScale	1.000000
setWeight	2

Storm Drain Line

setCommand	vba run modStormDrain.StormDrain
setLevel	1643
setLevelName	C-STRM-MAIN
setColor	13
setStyle	Storm Drain

Storm Text

setCommand	place dialogtext
setLevel	1641
setLevelName	C-STRM-IDEN
setColor	27
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Sewer Text

setCommand	place dialogtext
setLevel	1631
setLevelName	C-SSWR-IDEN
setColor	26
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Pipeline Settings Manager Documentation

Util-Prop-SD, SS

Storm Leader Line

setCommand	place curve
setLevel	386
setLevelName	W-PRO-STRM-IDEN
setColor	13
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Sewer Leader Line

setCommand	place curve
setLevel	384
setLevelName	W-PRO-SSWR-IDEN
setColor	16
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Sewer Line

setCommand	place smartline
setLevel	383
setLevelName	W-PRO-SSWR-MAIN
setColor	16
setStyle	Sewer Line
setStyleScale	1.000000
setWeight	2

Storm Drain Line

setCommand	vba run modStormDrain.StormDrain
setLevel	385
setLevelName	W-PRO-STRM-MAIN
setColor	3
setStyle	Storm Drain

Storm Text

setCommand	place dialogtext
setLevel	386
setLevelName	W-PRO-STRM-IDEN
setColor	13
setStyle	0
setWeight	1
setFont	font003
setUsePaperSize	on
setUnits	'
setTextHeight	0.100000
setTextWidth	0.085000

Pipeline Settings Manager Documentation

setLineSpacing 0.075000

Sewer Text

setCommand place dialogtext
setLevel 384
setLevelName W-PRO-SSWR-IDEN
setColor 16
setStyle 0
setWeight 1
setFont font003
setUsePaperSize on
setUnits '
setTextHeight 0.100000
setTextWidth 0.085000
setLineSpacing 0.075000

Utilities-General-Exist

Gas Line

setCommand place smartline
setLevel 1533
setLevelName C-UTIL-UNDR
setColor 4
setStyle Gas Line
setStyleScale 1.000000
setWeight 0

Electric Line

setCommand place smartline
setLevel 1533
setLevelName C-UTIL-UNDR
setColor 6
setStyle Electric Line
setStyleScale 1.000000
setWeight 0

Telephone Line

setCommand place smartline
setLevel 1533
setLevelName C-UTIL-UNDR
setColor 8
setStyle Telephone Line
setStyleScale 1.000000
setWeight 0

Pipeline Settings Manager Documentation

Cable TV Line

setCommand	place smartline
setLevel	1533
setLevelName	C-UTIL-UNDR
setColor	4
setStyle	CTV Cable TV Line
setStyleScale	1.000000
setWeight	0

Joint Trench Line

setCommand	place smartline
setLevel	1533
setLevelName	C-UTIL-UNDR
setColor	5
setStyle	Joint Trench Line
setStyleScale	1.000000
setWeight	0

Utilities Leader Line

setCommand	place curve
setLevel	1531
setLevelName	C-UTIL-IDEN
setColor	17
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Utilities Text

setCommand	place dialogtext
setLevel	1531
setLevelName	C-UTIL-IDEN
setColor	17
setStyle	0
setWeight	1
setFont	3
setTextJust	LB
setNodeJust	LB
setUsePaperSize	on
setUnits	"
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000

Pipeline Settings Manager Documentation

Utilities-General-Prop

Gas Line

setCommand	place smartline
setLevel	381
setLevelName	W-PRO-UTIL-UNDR
setColor	14
setStyle	Gas Line
setStyleScale	1.000000
setWeight	0

Electric Line

setCommand	place smartline
setLevel	381
setLevelName	W-PRO-UTIL-UNDR
setColor	16
setStyle	Electric Line
setStyleScale	1.000000
setWeight	0

Telephone Line

setCommand	place smartline
setLevel	381
setLevelName	W-PRO-UTIL-UNDR
setColor	18
setStyle	Telephone Line
setStyleScale	1.000000
setWeight	0

Cable TV Line

setCommand	place smartline
setLevel	381
setLevelName	W-PRO-UTIL-UNDR
setColor	14
setStyle	CTV Cable TV Line
setStyleScale	1.000000
setWeight	0

Utilities Leader Line

setCommand	place curve
setLevel	382
setLevelName	W-PRO-UTIL-IDEN
setColor	24
setStyle	Arrow-Small
setStyleScale	1.000000
setWeight	0

Pipeline Settings Manager Documentation

Joint Trench Line

setCommand	place smartline
setLevel	381
setLevelName	W-PRO-UTIL-UNDR
setColor	15
setStyle	Joint Trench Line
setStyleScale	1.000000
setWeight	0

Utilities Text

setCommand	place dialogtext
setLevel	382
setLevelName	W-PRO-UTIL-IDEN
setColor	24
setStyle	0
setWeight	1
setFont	3
setTextJust	LB
setNodeJust	LB
setUsePaperSize	on
setUnits	"
setTextHeight	0.100000
setTextWidth	0.085000
setLineSpacing	0.075000